

FOLLOW SAFE DIAPER CHANGING PROCEDURES.

Remember: Always keep a hand on the child.



Before starting, wash both your hands and the child's hands.



Wear gloves and clean the child.



Remove trash (soiled diaper and wipes)



Replace diaper.



Wash child's hands.



Clean and disinfect diaper station, then wash your hands.

For more information scan the QR code or visit: https://bit.ly/CDCDiapering





INTENSIFY CLEANING & DISINFECTING

For more information please scan the QR code or visit: https://bit.ly/CDCchildcare







Remove from the classroom toys that cannot be cleaned and sanitized



Do not share toys between groups of children between rooms.



Put aside toys that have been in the mouth or had contact with any bodily fluid to be cleaned and sanitized.



Sheets and blankets that touch a child's skin should be labeled and stored in closed individual containers or bins.



Clean with water and detergent, rinse, sanitize with an EPA-registered disinfectant, rinse again, and air-dry or clean in a mechanical dishwasher.



All cleaning materials should be kept secure and out of reach of children.

Cleaning products shouldn't be used near children. Staff should ensure that there is enough ventilation when using these products to prevent anyone from inhaling toxic fumes.



HEALTHY HAND HYGIENE BEHAVIOR

For more information please scan the QR code or visit: https://bit.ly/CDCchildcare







Wash your hands, neck, and anywhere touched by a child's secretions.



Alcohol-based hand sanitizers with at least 60% alcohol can be used if soap & water are not available and hands are not visibly dirty.



Always supervise children when they use hand sanitizer to prevent ingestion.



Assist children with hand washing, including infants who cannot wash hands alone.



After washing the child's hands, staff should also wash their hands.



Place posters
with handwashing
steps near sinks.
The CDC offers
posters in multiple
languages that
are developmentally
appropriate.